HP LaserJet Pro MFP 4102fdn Printer

Get blazing fast printing speeds, high-volume scanning, and easy management with LaserJet Pro.

This printer is built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.






This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Instant Ink for Laser available
- HP Wolf Pro security
- Automatic two-sided printing standard
- Fast print speed (40 ppm A4)
- High monthly duty cycle (80,000 pages)
- 50 sheet ADF with single-pass, two-sided scanning









Support your dynamic workteam with this high-speed smart printer, ideal for up to 10 users.

Step up your workflow with HP Pro-class maximum print speed to meet high-demand

- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility. $^{\rm 3}$

HP Wolf Pro Security.

Maximum productivity.

environments.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
 - Set up your printer security from the dashboard. Smart Admin makes IT configuration and monitoring easy. $^{\rm 3}$
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP Security Manager.⁶

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. ^{6,7,8}
- Never run out of toner with Instant Ink for laser.⁹
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.⁸
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time. $^{\rm 10}$

Product walkaround

1. Designed for workteams of up to 10 users

- 2. Pre-configured security settings
- 3. Walk-up USB
- 4. Automatic 2-sided printing
- 5. Hi-speed USB ports, built-in Gigabit Ethernet
- 6. Print speeds up to 40 ppm (A4), 350-sheet standard paper capacity



Accessories, Supplies and Support

Supplies	
Service and Support	U42TZE - HP 3 year Next Business Day Service for LaserJet Pro MFP 410x
	U42U8PE - HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x

Technical specifications

Model	HP LaserJet Pro MFP 4102fdn Printer
Productnumber	22623F
Functions Control panel	Print, copy, scan, fax 2-lineLCD; OK button; Left button; Right button; Cancel button; Back button; Ready LED; Error LED; Wi-FiLED (only for wireless bundle)
Print	2-thettb, ok bulloh, teltoulloh, kijhtbulloh, tante bulloh, bakbulloh, kedyteb, enorteb, wi-Fileb (only ior wiekess bundle)
Printtechnology	Laser
Print speed ¹	Black (A4, normal): Up to 40 ppm ; Black (A4, duplex): Up to 34 ipm
First page out ²	Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 8.8 sec
Print resolution	Back(best): FineLines(1200x1200dp); Technology: HP FastRes 1200, HP ProRes1200, Economode
Monthlydutycycle	Up to 80,000 pages A4; Recommended monthly pagevolume: 750 to 4,000
Printer smart software features ³	Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts avariety of paper sizes and types
Standard print languages	HP PCL 5, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PW G Raster
Fonts and typ efaces	84 scalable TrueTypefonts
Prin t area	Printmargins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.1 mm
Duplexprinting	Automatic (default)
Сору	
Copyspeed	Black (A4): Up to 38 cpm
C o pier specification s	D Copy, Number of copies; Resse (including 2 - Up); Lighter/Jarker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two - Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore
5 con	Factory Defaults; Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%
Scan Scan speed ⁴	Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color); Duplex (A4): Up to 46 ipm (b&w), up to 34 ipm (color)
Scan file format	Norma (ver, dy to 2 springed pinnetaer), dy to 20 ppinnetaer), popier (ver), op to 40 pinnetaer), dy to 34 pinnetaer).
	ScancerypeFlatbed, ADF; Scan technology. Contact ImageSensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAN or WA; Twain version:
Scanner specifications	Scame speritable, Not, Scame annotage, Contactinged ensort(2), Scampartinger modes information by ensort(2), Scampartial and a second or an annotage sensor (2), Scampartial and a second or an annotage second or an annotage sensor (2), Scampartial and a second or an annotage
S can ner ad van ced features	Copypreview
Recommended monthly scan	750 to 4000
volume S cannable area	
S can n ab le area Bit dep th / Grey scale levels	Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm 24-bit/256
Fax	24-01/230
Fax	Yes, 33.6 kbps
Fax specifications	rea, 33.00 AUP and the second
i	Auto faxeduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctivering detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting;
Fax smart software features	Printfaktog; HP Digital Fax
Processor speed	1200 MHz
Connectivity	
Standard	1 Hi-Speed USB 2.0; 1 rearhost USB; 1 Front USB port; GigabitEthernet 10/100/1000BASE-T network; 802.3az(EEE)
Mobileprinting capability	AppleAirPrint™; Mopria™ Certified
Supported network protocols	TCP/IP, IPv4, IPv6; Pinit TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple Air/Pinit, Discovery; SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Routes; Stateful Via DHCP (SS LS Scurity and Certificate management; Management SMMPV ; SMMPV ; SMMPV3, IHTP/HTTPS, Syslog, TFP WD Download
Network cap abilities	Mardia, Pol Classes La Fecto and Vancoles, Jale La Vencines voir Ethenet, Auto-crossover Ethenet, Auto
Hard disk	No
Hard disk Memory	
Hard disk	No
Hard disk Memory Media hand ling	No Standard: 512 MB; Maximum: 512 MB
Hard disk Memory Mediahandling Number of paper trays	No Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3
Hard disk Memory Media hand ling Number of paper trays Media types	No Standard: 512 MB; Maximum: 512 MB Standard: 5 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); JapanesePostcard; DoubleJapan Postcard Rotated; Envelope #10; EnvelopeBS; EnvelopeES; EnvelopeES; EnvelopeES; envelopeDL; Custom Size 4 x 6 in; 5 x 8 in; Statement, Tray 2 Stray 3: A4; X5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); 105 (197 x 273 mm); 125 to 215 x 125 x
Hard disk Memory Mediahandling Number of paper trays Media types Media size	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFPICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough): envelopes; labels; Custom (metric): Tray 1: 76, 2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JG); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); JopanesePostcard; Double Japan Postcard Rotated; EnvelopeHonacrit, EnvelopeB5; EnvelopeC5; EnvelopeDL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 2: A4; A5; A6; B5 (JG); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JG) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 366 mm
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 7.6.2 x1 27 to 215.9 x355.6 mm; Tray 2; 3: 104.9 x148.59 to 215.9 x355.6 mm Supported (metric): Tray 1: 7.4; A5; A6; B5 (JG); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K envelope H10; Envelope Monarch; Envelope PL; Custom Size; 4x 6 in; 5 x8 in; Statement; Tray 2; & Tray 3: A4; A5; A6; B5 (JG); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x260 mm); 16K (197 x 273 mm); Loanese Postard; Double Japan Postard Rotated; Envelope Monarch; Envelope PL; Custom Size; 4x 6 in; 5 x8 in; Statement; Tray 2; & Tray 3: A4; A5; A6; B5 (JS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JS) ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets
Hard disk Memory Mediahandling Number of paper trays Mediatypes Mediasize Mediakandling Media weight Input capacity Output capacity	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.5 9to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (U5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K envelope H 10; Envelope Monarch; Tevelope BD; Envelope C5; Envelope D12, (ustom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 x 260 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2: 36 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF. Standard, 50 sheets Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 50 to 10 120 g/m² Tray 1: 50 these: 100; Envelopes: 10 Tray 2: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets Standard; Up to 150 sheets Envelopes: Up to 10 envelopes Maximum; Up to 150 sheets
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 52 MB; Maximum: 512 MB Tay Colored, Letterhead, preprinted, prepunched, recycled, rough); envelopes; Labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 10.4 9 x 148.5 9 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5: A6; B5 (JI5): Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 460 mm); 16K (197 x 273 mm); Lapanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope B5; Envelope E5; Envelope C5; Envelope D5; Custom Size; 4 x 6 n; 5 KB n; Statement; Tray 2 KTray 3: A4, 65; A6; B5 (JI5): Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 n; 5 KB n; Statement; Tray 2 KTray 3: A4, 55; A6; B5 (JI5): Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 n; 5 KB n; Statement; Tray 2 KTray 3: A4, 65; A6; B5 (JI5): Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Lostom Size; 4 x 6 n; 5 KB n; Statement; Tray 2 KTray 3: A4, 55; A6; B5 (JI5): Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Lostom Size; 6 X 270 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Lostom Size; 6 X 270 mm); 15 Lo 2 16 x 340 mm); 15 Lo 2 16 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Lostom Size; 6 X 4 x 6 n; 6 KI5) Stater Legal; A4; custom Size; 6 X 20 x 15 Lo 2 15 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (195 x 270 mm); Lostom Size; 6 X 20 x 15 Lo 2 16 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Lostom Size; 70 x 112 x 12 Lo 2 16 x 340 mm); 16K (195 x 270 mm); 16K (195 x 27
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x1 27 to 215.9 x355.6 mm; Tray 2, 3: 104.9 x148.59 to 215.9 x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (U5); Oficio (216 x340 mm); 16K (195 x270 mm); 16
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFPICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JI5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Custom Size, A5.4; A x 6 ni, 5 K8 in; Statement; Tray 2: A4; A5; A6; B5 (JI5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Custom Size, A5.4; A x 6 ni, 66 (JI5) ADF. Letter; Legal; A4; custom sizes 100 x 152 to 216 x 336 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray 32; A4; a to to 120 g/m² Tray 1: 5heets: 100; Envelopes: 10 Tray 2; Sheets: 550 (lop tonal) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; 05; Mobile OS; MacDi 10.15 Catalina; macDS 11 Big Sur; macOS 12 Montrey; Chrome OS Windows 8; Windows Server; Linux; Citric, Novell Windows 8; Windows Server; Linux; Citric, Novell Windows 8; Windows Server; Linux; Citric, Novell
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metrix): Tray 1: 76, 2x 127 to 215.9 x355.6 mm; Tray 2; 3: 104.9 x 148.59 to 215.9 x355.6 mm Supported (metrix): Tray 1: A4; A5; A6; B5 (J5); Oficio (216 x 340 mm); 16K (195 x 270 mm); Japa enzePostacid; Double Japan Postcard Rotated; Envelope Patil 0; Envelope Post; Envelope Post; Envelope C5; Envelope Distand; Double Japan Postcard Rotated; Envelope Patil 0; Envelope Postacid; Double Japan Postcard Rotated; Envelope Postcard; Double Japan Postcard; Rotated; Postcard Rotated; Postcard; P
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2x1 27 to 215, 9x355.6 mm; Tray 2; 3: 104, 9x148.59 to 215, 9x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JI5); Oficio (216 x 340 mm); 16K (195 x 270 mm); Japa enze Postacid: Double Japan Postard Rotated; Envelope PM 2:
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metrix): Tray 1: 76, 2x 127 to 215.9 x355.6 mm; Tray 2; 3: 104.9 x 148.59 to 215.9 x355.6 mm Supported (metrix): Tray 1: A4; A5; A6; B5 (J5); Oficio (216 x 340 mm); 16K (195 x 270 mm); Japa enzePostacid; Double Japan Postcard Rotated; Envelope Patil 0; Envelope Post; Envelope Post; Envelope C5; Envelope Distand; Double Japan Postcard Rotated; Envelope Patil 0; Envelope Postacid; Double Japan Postcard Rotated; Envelope Postcard; Double Japan Postcard; Rotated; Postcard Rotated; Postcard; P
Hard disk Memory Mediahandling Number of paper trays Media types Media size Mediahandling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metrix): Tray 1: 7.6.2 x1 27 to 215.9 x355.6 mm; Tray 2; 3: 10.4.9 x148.59 to 215.9 x355.6 mm Supported (metrix): Tray 1: A4; A5; A6; B5 (J5); Oficio (216 x 340 mm); 16K (195 x 270 mm); Jane Revelope Bonard; hovelope
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, preprinted, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2x1 27 to 215, 9x355.6 mm; Tray 2; 3: 104, 9x148.59 to 215, 9x355.6 mm; Supported (metric): Tray 1: A4; A5; A6; B5 (JS); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); 2apase> & Tray 3: A4; A5; A6; B5 (JS); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (194 x260 mm); 16K (197 x273 mm); 2apase> Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: 60 to 200 g/m ² ; tray 2, optional 550-sheet tray 3: 60 to 120 g/m ² Tray 1: 5heets: 100; Envelopes: 10 Tray 2; Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 51; Windows 51; Windows SCient OS; Android; IOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Montere; Chrome OS Windows 52 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; Mac: 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see a
Hard disk Memory Mediahandling Number of paper trays Media types Media types Media types Media type Media handling Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x DxH)	No Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2x1 27 to 215.9 x355.6 mm; Tray 2, 3: 104.9 x148.59 to 215.9 x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Custom Size, A5 envelope B1; Cinvelope B1; Cinve B1; Cinve B1; Cinvelope B1; Cinvelope B1; Cinve B1; Cin
Hard disk Memory Mediahandling Number of paper trays Media types Minut apacity Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer dimensions and weight Printer dimensions (W x D x H) Printer weight	No Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFIFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2x127 to 215.9 x355.6 mm; Tray 2, 3: 104.9 x148.59 to 215.9 x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (U5); Oficio (216 x 340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, A5.4; 4x6 ni, 56 (U5) ADF. Letter; Legal; A4; custom Size 102 x 152 to 216 x 336 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray 32 control to 120 g/m² Tray 1: 5heets: 100; Envelopes: 10 Tray 2; Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF; Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows Server; Linux; Citrix, Novell
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacitly Output capacitly Output capacitly Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W XD XH) Printer weight Operating environment	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFRCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metrix): Tray 1: 7.6, 2x127 to 21.5, 9x355.6 mm; Tayay, 23: 10.4, 9x148.59 to 21.5, 9x355.6 mm Supported (metrix): Tray 1: A4; A5; A6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); Custom Size, As 6; B5 (US); Oficio (21.6 x340 mm); 16K (197 x273 mm)
Hard disk Memory Mediahandling Number of paper trays Media types Software types Minimum system requirements Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions	No Standard: 512 MB; Maximum: S12 MB Standard: 512 MB; Maximum: S12 MB Standard: 2; Maximum: 3 Pape (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, preprinted, recycled, rough); envelopes; labels; Custom (metric): Tray: 1: 6, 2x127 to 21.5 9 x355.6 mm; Tray 2.3: 104.9 x148.59 to 21.5.9 x355.6 mm Supported (metric): Tray: 1: 6, 45, 16, 55 (UIS); Oficio (216 x340 mm); 16K (195 x270 mm); lagencePostcard, Double Japan Postcard Rotated; Envelope H10; Envelope Monarch; Envelope B5; Envelope C5; Envelope D1; Custom Size; 4x6 m; 5 x8 m; Statement; Tray: 2 Standard Input: 100-sheettray 1, 250-sheetinput tray 2; 50-sheetAutomatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional third 550-sheet tray ADF; Standard, 50 sheets Tray: 1: Sheets: 100; Envelopes: 10 Tray 2; Sheets: 250 Tray 3; Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional S50-sheet tray: 3: 60 to 120 g/m ² Tray: 1: Sheets: 100; Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows: 11; Windows 10; Windows 71; Windows C1 lent OS; Android; IOS; Mobie OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows: 2 GB available hard dik space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; Mos 2 GB available hard dik space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; Mos 2 GB available hard dik space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com; Mos 2 GB available hard dik space; Internet connection or USB port; In
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacitly Output capacitly Output capacitly Compatible network operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics	No Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2: Maximum: 3 Paper (plan, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels: Custom (mark): Tray 1: 7.6, 2x127 to 215.9x355.6 mm; Tray 2.3: 104.9 x148.59 to 215.9x355.6 mm Supported (metrix): Tray 1: A4; A5; A6; B5 U(5); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (194 x203 mm); 16K (195 x270 mm); 16K (194 x203 mm); 16K (195 x270 mm); 16K (195 x20 mm); 16K (195 x20 mm); 16K (195 x20 mm); 16K (195 x20 mm)
Hard disk Memory Mediahandling Media handling Mumber of paper trays Media types Media types Media size Media handling Media weight hput capacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power	No Standard: 512 MB, Maximum: 512 MB Standard: 512 MB, Maximum: 3 Paper (plan, EcoEFFXENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (meth2): Tray 1: 76, 2x127 to 215.9x355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9x355.6 mm Supported (meth2): Tray 1: A4; A5; A6; B5 (JS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); JapanesePostcard; Double Japan Postcard Rotated; Envelope H10, EnvelopeMonarch; Envelope ES; Envelope CS; Envelop
Hard disk Memory Mediahandling Mediahandling Mediakypes Mediakypes Mediakypes Mediakandling Mediaweight Inputcapacity Outputcapacity Outputcapacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W X D XH) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	No Standard 1: S12 MB; Maxhum: S12 MB Standard 2: Maxhum: S12 MB Standard 2: Maxhum: S12 MB Standard: 2: Maxhum: S12 MB Standard: 2: Maxhum: S12 MB Standard: Tay 1: Ad: AS; B2 M35, Brum; Tay 2: S10 4 9x 148, 5 to 21: 5 x 355, S mm Supported (meth): Tay 1: Ad: AS; B5 (LS); Otico (21: 6 x 340 mm); 16K (19: 5 x 270 mm); 16K (19: 5 x 2
Hard disk Memory Mediahandling Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Output capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	No Standard: 512 MB; Maxhum: 512 MB Standard: 2; Maxhum: 31 Paper (Jan, ECOEFFCENT, light, heavy, bond, colored, lettehead, preprinted, preprinted, recycled, rough): enviopes; labels; Custom (metric): Tray: 1: 62 x127 to 21: 59 x355.6 mm; Tray 2; 31: 04 9: 148.59 to 21: 59 x355.6 mm; Supported (metric): Tray: 1: 62 x127 to 21: 59 x355.6 mm; Tray 2: 30 x125; enviope EU; custom Size, 4X en (5: 58 mi; Statement; Tray; 2: 74 x12, 53 x125; enviope EU; custom Size, 4X en (5: 58 mi; Statement; Tray; 2: 74 x12, 50 x125; enviope EU; custom Size, 4X enviope EV; 150 envio
Hard disk Memory Mediahandling Mediahandling Number of paper trays Media types Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications	No. Standard: 512 MB; Medmum:: 512 MB Standard: 512 MB; Medmum:: 512 MB Standard: 2; Medmum:: 312 Standard: 2; Medmum:: 312 MB Standard: 2; Medmum:: 32 Page r[alia:: CoEFFICENT, [apt, 16 asy 355, 6 mm; Tray; 2: 3104, 93 × 148, 590 × 151, 93 × 355, 6 mm; Supported (metrix); Tray:: 174, 85, 86; 85 (JS); Ofico (216 × 340 mm); 16K (194 × 270 mm); 16K (194 × 220 mm); 16K (194 × 221 mm); 16
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Country of origin	No Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 31 Paper (Jain, CoEFFICENT, Ight, heavy, bond, colored, lettehead, preprinted, prepunched, recycled, rough): enviopse: labels; Custom (metrick): Tray: 1:7.6 x 127 to 21:5.9 x355.6 mm; Tray 2:3: 104.9 x 148.59 to 21:5 y x355.6 mm Supported (metrick): Tray: 1:7.6 k 195 x 270 mm); 16K (195 x 270 mm); 1

Data sheet | HP LaserJet Pro MFP 4102fdn Printer

Footnotes

¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. After 3 monthly, a monthly fee applies to continue advanced features with HP Smart Pro. For more information, see http://www.hpsmart.com. Easy setup and manage - Requires use of Smart Admin Dashboard for printer setup and onboarding of users.

⁴ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

⁵ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
⁶ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.

⁷ Save up to 50% on toner (mono) – Based on monthly subscription cost of HP Instant Ink monochrome toner service 1,500 page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 monochrome toner cartridge printers < 494 and MFPs priced < 672 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence September 2021 study commissioned by HP, based on publicly available information as of August 18, 2021. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker – Final Historical 2021Q2. For details: www.keypointintelligence.com/HPInstantInk.

⁸ Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately

⁹ Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area. ¹⁰ Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms.

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
⁴ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁵ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. Please be aware that HP Laser Jet Pro 4001 and MFP 4101 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP Laser Jet Pro 4003 and MFP 4103 series meet ecolabel energy efficiency limits.

⁷ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ie-en December 2022

