HP LaserJet Pro MFP 4102dw Printer



Get blazing fast printing speeds, high-volume scanning, and easy management with LaserJet Pro.

This printer is built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Instant Ink for Laser available
- HP Wolf Pro security
- Automatic two-sided printing standard
- Fast print speed (40 ppm A4)
- High monthly duty cycle (80,000 pages)
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct
- 50 sheet ADF with single-pass, two-sided scanning



















Maximum productivity.

- Support your dynamic workteam with this high-speed smart printer, ideal for up to 10 users.
- Step up your workflow with HP Pro-class maximum print speed to meet high-demand environments.
- Get productivity in the palm of your hand. Print, scan and get time-saving Shortcuts with HP Smart app.²

Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite
 of features.⁴
- Set up your printers quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility.³
- Avoid interruptions with Wi-Fi® that intelligently looks for the best connection to stay on-line. ⁵

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer security from the dashboard. Smart Admin makes IT configuration and monitoring easy.³
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP Security Manager.⁶

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. ^{7,8,9}
- \bullet $\;$ Never run out of toner with Instant Ink for laser. 10
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.⁹
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time.¹¹

Product walkaround

- 1. Designed for workteams of up to 10 users
- 2. Pre-configured security settings
- 3. Walk-up USB
- 4. Automatic 2-sided printing
- 5. Hi-speed USB ports, built-in Gigabit Ethernet
- 6. Print speeds up to 40 ppm (A4), 350-sheet standard paper capacity



Accessories, Supplies and Support

Supplies	W1490A HP 149A Black Original LaserJet Toner Cartridge (Average cartridge yields 2,900 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1490X HP 149X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 9,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Accessories	D9P29A HP LaserJet Pro 550-sheet Feeder Tray
Service and Support	U42TZE - HP 3 year Next Business Day Service for LaserJet Pro MFP 410x U42U8PE - HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x

Technical specifications

Model	HP LaserJet Pro MFP 4102dw Printer
Productnumber	2Z62ZF
Functions	Print, copy, scan
Control panel Print	2-lineLCD; OK button; Left button; Right button; Cancel button; Backbutton; Ready LED; Error LED; Wi-FiLED (only for wireless bundle)
Print technology	Laser
Print speed 1	Black (A4, normal): Up to 40 ppm; Black (A4, duplex): Up to 34 ipm
First page out ²	Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 8.8 sec
Printresolution	Black (best): Fine Lines (1200 x 1200 dpi); Technology: HP FastRes 1200, HP ProRes 1200, Economode
Monthly duty cycle	Up to 80,000 pages A4; Recommended monthly page volume : 750 to 4,000
Printer smart software features ³	Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types
Standard printlanguages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PW G Raster
Fonts and typefaces Print area	84 scalable TrueType fonts Printmargins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.1 mm
Duplexprinting	Automatic (default)
Сору	
Copyspeed	Black (A4): Up to 38 cpm
Copier specifications	DCopy, Number of copies; Resize (including 2-Up); Lighter/Darker, Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); SaveCurrent Settings; Restore Factory Defaults; Maximum number of copies. It to 9999 copies: Reduce/Enlarge 25 to 400%
Scan	Totally belouts, recommended or copies, op to 3939 copies, reduce things, 23 to 400%
Scan speed ⁴	Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color): Duplex (A4): Up to 46 ipm (b&w), up to 34 ipm (color)
Scan file format	PDF, JPG, TIFF
Scanner specifications	Scanner type Flatbed, ADF; Scan technology. Contact Image Sensor (C(S): Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software, and user application via TWAIN or WAI; Twain version:
	Version 2.3; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 1200 x 1200 dpi
Scanner advanced features Recommended monthly scan	Copypreview 750 to 4000
volume	
Scannable area Bit depth/Grey scale levels	Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm 24-bit/256
Fax	24-01//250
Fax	No No
Fax smart software features	Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax, Billing codes; Save and load; Fax activity reports; Dial prefix setting;
	Print fax log; HP Digital Fax
Processorspeed	1200 MHz
Connectivity	1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabit Ethernet LAN 10/100/1000BASE-T network; 802.3az(EEE); 802.11b lg/n / 2.4/5 GHZ Wi-Firadio + BLE
Standard Mobile printing capability	Apple Air Pir My pain (entitled, Wi-FP Direct Printing
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple Air Print IP., Mopria, IPP Print; Discovery; SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoP,
	Manual), Pv6 (Stateless Link-Local and via Router, Statefull via DHC Pv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
Network cap abilities	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Hard disk	No Standard: C12 MD: Mavimum: C12 MD
Memory	No Standard: 512 MB; Maximum: 512 MB
Memory Media handling	Standard: 512 MB; Maximum: 512 MB
Memory Media handling Number of paper trays	Standard: 5:12 MB; Maximum: 5:12 MB Standard: 2; Maximum: 3
Memory Mediahandling Number of paper trays Media types	Standard: 2; Maximum: 3 Paper (plain, EcoEFFC.ENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric) Tray 1: 76, 2×127 to 215, 9×355, 6 mm; Tray 2, 3: 104, 9×148, 59 to 215, 9×355, 6 mm Supported (metric) Tray 1: 74; A5; A6; B5 (JS); Officio (216 x340 mm); 16K (195 x270 mm); 16K (195
Memory Media handling Number of paper trays Media types Media size Media handling Media weight	Standard: 2; Maximum: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFF(EINT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm), Japanese Postcard, Double Japan Postcard Rotated; Envelope #10; Envelope #10; Envelope #0, Envelope B5; Envelope C5; Envelope C1, Custom Size, 4 x 6 in, 5 x 8 in; 5 tatement; Tray 2 x 1 ray 3: A4; A5; A6; B5 (JIS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size, 4 x 6 in, 8 to 105; A0F: Letter; Legal; A4; custom Size, 4 x 6 in, 8 to 105; A0F: Letter; Legal; A4
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity	Standard: 5:12 MB; Maximum: 5:12 MB Standard: 2; Maximum: 3 Paper (plain, E coEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2; 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; 4x 6in; 5x 8in; 5x
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity	Standard: 5:12 MB; Maximum: 5:12 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (US); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); JapanesePostcard; Double Japan Postcard Rotated; Envelope#10: Envelope#0narch; Envelope#0; Envelope#0; Envelope#0; Cy: Envelope#0;
Memory Media handling Number of paper trays Media types Media size Media size Media weight Input capacity Compatible operating systems	Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 1 27 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); JapanesePostcard; Double Japan Postcard Rotated; Envelope#10; Envelope#0narch; Envelope#5; Envelope#5; Envelope#5; Envelope#6; Signed S
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity	Standard: 2; Maximum: 5 Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 1 27 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); 16K (197 x 273 mm); JapanesePostcard; Double Japan Postcard Rotated; Envelope#10; EnvelopeBonarch; EnvelopeB5; EnvelopeB5; EnvelopeB1; Custom Size; 4 x 6 in; 5 x 8 in; 5 tatement; Tray 2 37 cm; 16K (197 x 273 mm); 16K (197 x 273 mm); Custom Size; 4 x 6 in; 5 k 8 in; 5 tatement; Tray 2 36 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional Input
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating	Standard: 2; Maximum: 3 Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 1 27 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); JapanesePostcard; Double Japan Postcard Rotated; Envelope#10; Envelope#0narch; Envelope#5; Envelope#5; Envelope#5; Envelope#6; Signed S
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Standard: 2; Maximum: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope #10; Envelope B5; Envelope B5; Envelope C5; Envelope D1, Custom Size, 4 x 6 in, 5 x 8 in; 5 tatement; Tray 2 x 1ray 3: A4; A5; A6; B5 (JIS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Usutom Size, 4 x 6 in, 8 to 185 A 90; MB (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Usutom Size, 4 x 6 in, 8 to 185 A 90; MB (197 x 273 mm); Usutom Size, 4 x
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 2; Maximum: 3 Paper (plain, EcoEFFCIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JiS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope #10; Envelope B5; Envelope B5; Envelope C5; Envelope D1, Custom Size; 4 x 6 in; 5 x 8 in; 5 tatement; Tray 2 x 1ray 3: A4; A5; A6; B5 (JiS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Ustom Size; A 5-R; 4 x 6 in; B6 (195); A0FC Letter; Legal; A4; custom Size; 4 x 6 in; 5 x 8 in; 5 tatement; Tray 2 x 336 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 5heets: 100; Envelopes: 10 Tray 2; Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; Mobile O5; macO5 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux; Citrix; Novell Windows 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional O5 hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com Ho Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SMMP Proxy Agent (Part of HP Web JetAdmin); Printer Administrator
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: 2; Maximum: 3 Paper (plain, EcoEFFC.ENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric) Tray 1: 76, 2×127 to 215, 9×355, 6 mm; Tray 2, 3: 104, 9×148, 59 to 215, 9×355, 6 mm Supported (metric) Tray 1: 76, 2×127 to 215, 9×355, 6 mm; Tray 2, 2; 104, 9×148, 59 to 215, 9×355, 6 mm Supported (metric) Tray 1: 74; 74; 74; 75, 2×127 to 215, 9×355, 6 mm; Tray 2, 2; 3: 104, 9×148, 59 to 215, 9×355, 6 mm Supported (metric) Tray 1: 76, 2×127 to 215, 9×355, 6 mm; Tray 2, 2; 3: 104, 9×148, 59 to 215, 9×355, 6 mm Supported (metric) Tray 1: 76, 2×127 to 215, 9×355, 6 mm; Tray 2, 2; 3: 104, 9×148, 59 to 215, 9×355, 6 mm Supported (metric) Tray 1: 744; 75; 76, 2×127 to 216, 73, 9×36, 9×36; 9×36, 9×36; 9×36, 9×36; 9×36, 9×36; 9×36, 9×36;
Memory Media handling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management	Standard: 2; Maximum: 3 Paper (plain, EcoEFFCIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JiS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope #10; Envelope B5; Envelope B5; Envelope C5; Envelope D1, Custom Size; 4 x 6 in; 5 x 8 in; 5 tatement; Tray 2 x 1ray 3: A4; A5; A6; B5 (JiS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Ustom Size; A 5-R; 4 x 6 in; B6 (195); A0FC Letter; Legal; A4; custom Size; 4 x 6 in; 5 x 8 in; 5 tatement; Tray 2 x 336 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: 5heets: 100; Envelopes: 10 Tray 2; Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; Mobile O5; macO5 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux; Citrix; Novell Windows 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional O5 hardware requirements see apple.com; No software solutions are included in the box, only on http://www.hp.com and http://123.hp.com Ho Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SMMP Proxy Agent (Part of HP Web JetAdmin); Printer Administrator
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Standard: 2; Maximum: 5 Paper (plain, EcoEFFCIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JiS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope #10; Envelope B5; Envelope B5; Envelope C5; Envelope C1; Custom Size; 4 x 6 in; 5 x 8 in; 5 tatement; Tray 2 x 376 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard input: 100-sheet tray 1, 250-sheet tray 3: 60 to 120 g/m² Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: Sheets: 100; Envelopes: 10 Tray 2; Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; Mobile O5; macO5 10.15 Catalina; macOS 11 Big Sur, macOS 12 Monterey; Chrome O5 Windows 8; Windows Server; Linux; Citrix; Novell Windows 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional O5 hardware requirements see apple.com; No software solutions are included in thebox, only on http://www.hp.com and http://lv.3.hp.com Resource Kit for HP Universal Print Driver; Deployment Utility - Managed Printing Administrator) Minimum 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm 12.6 kg
Memory Media handling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 2; Maximum: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFC.ENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2×127 to 215, 9×355, 6 mm; Tray 2, 3: 104, 9×148, 59 to 215, 9×355, 6 mm Supported (metric): Tray 1: 76, 2×127 to 215, 9×355, 6 mm; Tray 2, 3: 104, 9×148, 59 to 215, 9×355, 6 mm Supported (metric): Firay 1: 76, 2×127 to 215, 9×355, 6 mm; Tray 2, 3: 104, 9×148, 59 to 215, 9×355, 6 mm Supported (metric): Firay 1: 76, 2×127 to 215, 9×355, 6 mm; Tray 2, 3: 104, 9×148, 59 to 215, 9×355, 6 mm Supported (metric): Firay 1: 744; 745; 746; 745; 746; 746; 747; 747; 747; 747; 747; 747
Memory Media handling Number of paper trays Media types Media size Media size Media size Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plai), EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2×12 To 215, 9×355, 5 mm; Tray 2, 3: 104, 9×148, 59 to 215, 9×355, 5 mm; Supported (metric): Tray 1: 76, 2×12 To 215, 9×355, 5 mm; Tray 2, 3: 104, 9×148, 59 to 215, 9×355, 5 mm; Supported (metric): Tray 1: 76, 2×12 To 215, 9×355, 5 mm; Tray 2, 3: 104, 9×148, 59 to 215, 9×355, 5 mm; Supported (metric): Tray 1: 76, 2×12 To 215, 9×355, 5 mm; Tray 2, 3: 104, 9×148, 59 to 215, 9×355, 5 mm; Develope E5; Envelope E0; Custom Size; 4×6 fi; 5×8 fi; Statement Tray 2, 8 Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Custom Size; 4×6 fi; B6 (JIS) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF. Standard, 50 sheets Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m² Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; IOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 8; Windows Server; Linux; Citric, Novell Windows: 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirement seem krosoft.com; Mac 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements seem krosoft.com; Mac 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements seem krosoft.com;
Memory Media handling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metrix): Tray 1: 76.2 x127 to 215: 9x355.6 mm; Tray 2; 3: 104.9 x148.59 to 215.9 x355.6 mm Supported (metrix): Tray 1: 74; A5; A6; B5 (US); Officio (216 x340 mm); 16K (195 x270 mm); 16K (184 x260 mm); 16K (197 x273 mm); Dapanese Postsard; Double Japan Postsard Rotated; Envelope #10; Envelope #
Memory Media handling Number of paper trays Media types Media size Media size Media weight Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	Standard: 512 MB. Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2x1 27 to 21:5, 9x355, mm; Tray 2, 3: 104.5 x 148.59 to 21:5, 9x355, 5mm; Supported (metric): Tray 1: A4; A5; A6; B5 (JS); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (195 x2
Memory Media handling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions of W x D x H) Printer weight Operating environment Storage conditions Acoustics	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels: Custom (metric): Tray 1: 76, 2×1,27 to 215, 9 x 355, 6 mm; Tray 2, 3: 104,9 x 148,59 to 215, 9 x 355, 6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (J5); Oltico (216 x 240 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); paperse Postcard; Double Japan Postcard Rotated; Envelope E10, Envelope E05, Envelo
Memory Media handling Number of paper trays Media size Media size Media size Media size Media weight Input capacity Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics Power	Standard: 5:12 MB; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom fmettic Tray 1: 76, 2:12 To 2:15, 9x355. 6 mm; Tray 2, 3: 104.9 x148.59 to 2:15, 9x355. 6 mm Supported (metric); Tray 1: 744, 45; 46; BS (U.S.); Oficio (2:16 x340 mm); 16K (195 x270 mm); 16K (194 x260 mm); 16K (195 x273 mm); JapanesePostcard; Double Japan Postcard Rotated; Envelope HD; Envelope MD; Envelope BS; Envelope ED; Custom Size; 4x 6: n; 5x 8: n; Statement; Tray 2.8 Tray 3: 1x 4x, 5x 6; BS (U.S.); Oficio (2:16 x340 mm); 16K (195 x270 mm); 16K (195 x273 mm); 16K (195 x270 mm); 16K (195 x273 mm); 16K (195 x270 mm); 16K (195 x273 mm); 17K (195 x273 mm); 17K (
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Standard: 512 MB, Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plan, EcoEFFEENT, light, heav, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2: 127 to 215, 9x 355, 6 mm; Tray 2, 3: 104.9 x 148.99 to 215, 9x 355, 6 mm Supported (metric): Tray 1: A4; A5; A6; B5 US); Oficio (216 x 340 mm); 16K (193 x 273 mm); 17K
Memory Media handling Number of paper trays Media types Media size Media size Media size Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer weight Trinter weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Standard: 5:12 MB; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom fmetric Tray 1: 76, 2:12 To 2:15, 9x355. 6 mm; Tray 2, 3: 104.9 x148.59 to 2:15, 9x355. 6 mm Supported (metric); Tray 1: 744, AS; A6; BS (US); Officio (2:16 x340 mm); 16K (195 x270 mm); 16K (195 x273 mm); JapanesePostcard; Double Japan Postcard Rotaled; Envelope B10; Envelope B10; Envelope B15; Envelope B10; Custom Size; A4; Custom Size; A4; Custom Size; A4; Custom Size; A4; Custom Size; A5; G15 (B15); G16; G16 x340 mm); 16K (195 x273 mm); Custom Size; A5; G15 B15; G16 Custom Size; A5; G15 G15; G16 Custom Size; A5; G15 G15 G16 Custom Size; A5; G16 Custom Size
Memory Media handling Number of paper trays Media size Media size Media size Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	Standard. 2; Maximum: 512 MB; Maximum: 512 MB Standard. 2; Maximum: 3 Paper plain, EcoEFFE ENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (Mercit); Tray 1: 7.62; x37 mm); light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (Mercit); Tray 1: 7.62; x37 mm); light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (Mercit); Tray 1: 7.64; x37 mm); light, papersep posts; colored by the colored for
Memory Media handling Number of paper trays Media types Media size Media size Media weight Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Country of origin	Standard; 2; Maximum: \$12 MB; Maximum: \$12 MB Standard; 2; Maximum: \$12 MB; Maximum: \$12 MB Page (plan, EcoFFYE ENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; tabels; Custom Imeritor, Tray; 17:6, 2 xs; 12 To 215, 5 x 355, 6 mm; Tray; 2; 3: 104, 9 xs; 148, 59 to 215, 9 xs; 355, 6 mm; Supported (metric); Tray; 17:6, 2 xs; 12 To 215, 5 x 345, 6 mm; Tray; 2; 3: 104, 9 xs; 148, 59 to 215, 9 xs; 355, 6 mm; Supported (metric); Tray; 17: 6 xs; 12 To 215, 5 x 340 mm); 16K (193 xs; 273 mm); 16K (193

Footnotes

- ¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. After 3 months, a monthly fee applies to continue advanced features with HP Smart Pro. For more information, see http://www.hpsmart.com.
- Easy setup and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- ⁴ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- 5 Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/qo/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). Internet access required and must be purchased
- ⁶ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- Recycling: Through the HP Planet Partners program (where available), recycled plastics are used as raw material and combined with other materials to help make new Original HP cartridges and other everyday products. For details, see http://www.hp.com/recycle.
- ⁸ Save up to 50% on toner (mono) Based on monthly subscription cost of HP Instant Ink monochrome toner service 1,500 page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 monochrome toner cartridge printers < 494 and MFPs priced < 672 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence September 2021 study commissioned by HP, based on publicly available information as of August 18, 2021. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker – Final Historical 2021Q2. For details: www.keypointintelligence.com/HPInstantInk.
- 9 Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately
- ¹⁰ Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.

 ¹¹ Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms.

Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁵ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. Please be aware that HP Laser Jet Pro 4001 and MFP 4101 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP LaserJet Pro 4003 and MFP 4103 series meet ecolabel energy efficiency limits.
- For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



www.blauer-engel.de/uz219













© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



