

USB 3.0 Standalone Eraser Dock for 2.5" & 3.5" SATA Drives

StarTech ID: SDOCK1EU3P



Make the most of your SATA drives. This standalone eraser dock lets you erase your 2.5" and 3.5" solid-state drives or hard drives without connecting to a host computer, making it easy to re-use or re-purpose your SATA drive. For added peace of mind, the dock offers a printed confirmation when data has been securely erased.

The eraser dock also gives you a single-bay dock for your SATA drive with fast USB 3.0 performance, also known as USB 3.1 Gen 1 (5 Gbps).

Industry-recognized erase modes

Using industry-recognized erase modes, you can rest assured that the standalone eraser securely cleans, erases or sanitizes the data from your 2.5" or 3.5" SSD or HDD.

The eraser dock supports nine erase modes including: Quick Erase, Single and Multi-pass Overwrites, Custom Erase, Secure Erase and Enhanced Secure Erase. The Multi-pass Overwrite (3-Pass Full Disk Overwrite) erase procedures meet the requirements of DoD (5220.22-M) standards.

Wipe sensitive data securely, confirmed with a printed receipt

The eraser dock lets you connect to a serial printer to print a record of the erase procedure, and confirm that the erase has been successfully completed. This feature is ideal for IT technicians, system administrators or any departments needing confirmation when erasing sensitive or confidential information. For your reference, the printed receipt clearly shows you the time and date of erase, as well as the erase mode used.

Easy drive management and wide compatibility

For IT technicians or business professionals who need to check files or test different hard drives, the dock lets you hot-swap drives in and out as needed. The dock features a single SATA bay with a top-loading design for easy drive access, which makes it easy to quickly back-up or transfer data to a hard drive or solid-state drive.



Spec Sheet

With support for SATA I and II and large capacity drives (tested up to 6TB), this docking station is compatible with virtually any 2.5" and 3.5" SATA SSD or HDD drive.

The eraser dock also works with 2.5" and 3.5" IDE hard drives, mSATA drives and M.2 drives using a compatible StarTech.com adapter:

IDE hard drives: Use StarTech.com adapter <u>SAT2IDEADP</u> <u>SATA to 2.5in or 3.5in IDE Hard Drive Adapter for HDD Docks</u>

mSATA drives: Use StarTech.com adapter <u>SAT32MSAT257</u> <u>mSATA SSD to 2.5in SATA Adapter Converter</u>

M.2 drives: Use StarTech.com adapter SAT32M225 M.2 NGFF SSD to 2.5in SATA Adapter Converter

Hassle-free set-up and a compact design

The eraser dock is OS independent which ensures a quick and easy setup. Its compact design and small footprint allows it to tuck easily into your workspace.

The SDOCK1EU3P is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Applications

- IT technicians and business professionals who wish to quickly and securely erase data to re-purpose SSDs or HDDs
- System administrators, IT professionals and business administrators who need guick access to drives
- IT technicians who regularly test or benchmark different hard drives and need to swap between them



Features

- Easy-to-use secure erasing with no host device required
- Receipt printing for erase confirmation
- Fast access to files through USB 3.0 (5 Gbps)
- Supports all 2.5" and 3.5" SATA HDD and SSD drives
- Also supports 2.5" and 3.5" IDE hard drives, mSATA drives and M.2 drives with compatible StarTech.com adapter
- TAA compliant
- 9 modes of erase including: Quick and Secure Erase, Single Pass Overwrite and Multi-pass Overwrites meets DoD (5220.22-M) standards
- Supports SATA I and II
- Plug-and-play installation
- Supports drive hot-swapping
- Built-in LCD display and menu navigation buttons
- Power and activity LED



Technical Specifications

Warranty 2 Years
Bus Type USB 3.0
Compatible Drive Types (Type and Rate) SATA

Drive Size 2.5in & 3.5in Interface USB 3.0

Number of Drives2Supported Drive Height(s)5mmSupported Drive Height(s)7mmSupported Drive Height(s)9.5mmSupported Drive Height(s)12.5mmSupported Drive Height(s)15mm

Erase Modes Quick Erase

Erase Modes 1- Pass Full Disk Overwrite
Erase Modes 3- Pass Full Disk Overwrite
Erase Modes 7- Pass Full Disk Overwrite

Erase Modes Custom Erase Erase Modes Secure Erase

Erase Modes Enhanced Secure Erase

Hot Swap Capability Yes

Max Drive Capacity Currently tested with up to 6TB 7200 RPM

Maximum Data Transfer Rate 5 Gbps

Type and Rate USB 3.0 - 5 Gbit/s
Type and Rate SATA II (3 Gbps)

Drive Connectors 2 - SATA Data & Power Combo (7+15 pin) Receptacle

Host Connectors 1 - USB 3.0 B (9 pin; SuperSpeed) Female

Other Interface(s) 1 - DB-9 (9 pin; D-Sub) Male

Color Black Enclosure Type Plastic

Product Height 2.8 in [70 mm]
Product Length 5.5 in [140 mm]
Product Weight 20.1 oz [570 g]
Product Width 4.8 in [123 mm]

LED Indicators 1 - 2-Line LCD display on top



Hard-to-find made easy®

Spec Sheet

LED Indicators

LED Indicators

Input Current

Input Voltage

Output Current

Output Voltage

Power Source

Humidity

Operating Temperature

Storage Temperature

Shipping (Package) Weight

Included in Package

1 - Power & Activity LED

1 - HPA/DCO Detect LED

1.4 A

110 ~ 240 AC

5 A

12 DC

AC Adapter Included

10% ~ 90% RH

0°C to 40°C (32°F to 104°F)

-10°C to 65°C (14°F to 149°F)

65 oz [1840 g]

1 - hard drive eraser and USB 3.0 dock

1 - USB 3.0 Cable

1 - universal power adapter

4 - power adapter plug (NA/EU/UK/AU)

1 - quick start guide

Certifications, Reports and Compatibility







